


by Boxlight®

## 10:22

LED All-in-one Intelligent Display

## CleverWall

#clevertouch | info@clevertouch.com



clevertouch.com | info@clevertouch.com | info@clevertouch.com



# Interactive Meeting Rooms with Increased Engagement

Realtime wireless screen-sharing from up to 4 devices simultaneously. Synchronized annotating from multiple devices. Interact with CleverWall via smartphones and tablet computers.

## Key Features

#### Featuring All-in-one Design

Integrated design with no external devices

Built-in Android System

Revolutionary 3-in-1 board that integrates a power supply, a receiving card and a hub board

Unified hardware and software technical support and service



#### Delivery Simplicity and Efficiency

Ease of use of the monitor functions with the remote control

Plug and play system, one button to turn on/off
Smart remote control to access settings



### Immersive meeting experiences

Inbuilt audio system

Ultra-wide screen, presenting a exceptional AV experience

The all in one CleverWall is a perfect solution and fit for any place and any size

Display Diagonal (inches)	138"	138"	165"	220"	220"	120"	150"	180"
Pixel Pitch	1.9	1.5	1.9	2.54	1.2	1.38	1.73	2.08
Format	16:9							
Weight (kg)	135	135	190	330	330	90	135	190
Resolution	1600x900	1920x1080	1920x1080	1920x1080	3840x2160	1920x1080	1920x1080	1920x1080
Brightness (nits)	≥550							
Refresh Rate (Hz)	3840							
Contrast Ratio	≥3000:1							
Viewing Angle (H/V)	160° / 140°							
Visual Led Size (mm)	3050x1716	3050x1716	3660x2059	4880x2745	4880x2745	2664x1499	3330x1873	3996x2248
Total Physical Size	3063X1846X30.5	3063X1846X30.5	3673X2188X30.5	4884X2875X30.5	4884X2875X30.5	2678X1630X28.5	3344X2004X28.5	4010X2379X28.5
Picture in picture	Yes - Support HDMI 2.0 PIP							
Audio Frequency	Built-in 2*30W audio system, 2.0 channel, full frequency range							
Installation Mode	Wall Mounting / Mobile Stand							
USB Interface	Yes							
HDMI Interface	Yes							
Cabinet Arrangement	5x5	5x5	6x6	8x8	8x8	4x4	5x5	6x6
Cabinet Material	Magnalium							
Maintenance	Front							
Power Consumption (Max./Ave.) (KW)	1.97/0.79	2.19/0.74	2.83/1.13	5.2/1.77	6.20/2.48	1.85/0.74	2.42/0.82	3.38/1.35



CLEVERTOUCH®
TECHNOLOGIES
by Boxlight®

Display Consumption (inches)	199"	249"	299"			
Pixel Pitch	1.27	1.59	1.91			
Format		32.9				
Weight (kg)	175	265	375			
Resolution		3840x1080				
Brightness (nits)	≥550					
Refresh Rate (Hz)	3840					
Contrast Ratio	6500:1					
Viewing Angle (H/V)	160°/140°					
Visual Led Size (mm)	4880x1372	6100x1715	7320x2058			
Total Physical Size (mm)	4894x1489x30.5	6114x1832x30.5	7334x2175x30.5			
Instalation Mode	Wall Mounting					
USB Interface	Yes					
HDMI Interface	Yes					
Cabinet Arrangement	8x4	10x5	12x6			
Cabinet Quantity	32	50	72			
Maintenance		Front				
Power Consumption (KW)	3.10	4.38	5.66			

- 1. The installation mode with mobile stand only available for 120", 138", 150", 165".
- 2."31mm"from overall dimension refers to thickness of screen.
- Note: Specifications are for reference only and are subject to change without notice.





by Boxlight®

