TeamConnect Intelligent Speaker for Microsoft[®] Teams Rooms





The TeamConnect Intelligent Speaker is the ultimate new audio solution optimized for mid-sized Microsoft Teams rooms for up to 10 people. It is designed specifically to give teams a whole new way to collaborate in hybrid meetings: smart, focused, inclusive and as if everyone is in one place. Intelligent solutions such as the integrated Cortana voice recognition software make operation on the product itself obsolete. Automatic meeting notes make an inclusive meeting experience possible for remote and hard-of-hearing participants. As an integral part of the room and equipped with the latest technology, the product offers an omnidirectional speaker and covers a 3.5m radius with 7 integrated beamforming microphones.

FEATURES

- Cortana voice assistance
- Automated live transcription
- Microsoft Teams Certified
- 7 Beamforming microphones
- Multiple Mounting options

DELIVERY INCLUDES

- TeamConnect Intelligent Speaker
- Power & Data Box
- Power supply unit
- EU, UK, US, AU, ZH, KO country adapters
- USB Micro-B to USB-A cable
- Screw and washer for table installation
- 2 adhesive pads for Speaker and Power & Data Box
- Quick guide
- Safety instructions and manufacturer's declarations

ACCESSORIES

TC ISP SECURESecurity Cable LockArt. No. 700172Replacement Set Table MountArt. No. 700173

ARTICLE INFORMATION

TC ISP TeamConnect Intelligent Speaker for Microsoft® Teams Rooms Art. No. 509281

TeamConnect Intelligent Speaker for Microsoft[®] Teams Rooms

SPECIFICATIONS

TC ISP (TeamConnect Intelligent Speaker)

Dimensions	128.3 x 56.3 mm
Weight	469 g
Speaker type	dynamic, neodymium
Speaker frequency response	200 – 14,000 Hz (-6 dB)
Microphone type	7 microphone beamforming array
Microphone frequency response	50 – 8,000 Hz (-3 dB)
Operating temperature	0 °C – +40 °C (32 °F – 104 °F)
Storage temperature	-20 °C – +60 °C (-4 °F – 140 °F)

Power & Data Box

Dimensions	61 x 40 x 14 mm
Weight	20 g
Operating temperature	0 °C – +40 °C (32 °F – 104 °F)
Storage temperature	-20 °C – +60 °C (-4 °F – 140 °F)

Power supply unit

Input voltage	100 – 240 V ~
Input frequency	50 – 60 Hz
Input current	0.8 A
Output voltage	12 V
Output current	2 A
Operating temperature	0 °C – +40 °C (32 °F – 104 °F)
Storage temperature	-20 °C – +60 °C (-4 °F – 140 °F)



TeamConnect Intelligent Speaker for Microsoft[®] Teams Rooms

DIMENSIONS

